

District Data Collection Worksheet Energy Benchmarking of Existing Buildings 2010 - 2011

Instructions

- I. <u>Overview</u>
 II. <u>Required Data</u>
 III. <u>Collecting data for multiple buildings</u>
 IV. <u>Collecting data for vacated or vacating non-residential tenants</u>
 V. <u>Optional Narrative Information</u>
 <u>Worksheet</u>
 A. Basic Information
- **B.** Space Use Information
- C. <u>Utility Information</u>

INSTRUCTIONS

I. Overview

This worksheet provides guidance to building owners or their agents (such as property managers or service providers) on the data that needs to be collected in order to benchmark buildings using the ENERGY STAR[®] Portfolio Manager in accordance with District of Columbia benchmark requirements. This worksheet is based on the <u>Portfolio Manager Data Collection Worksheet</u>, with additional District requirements highlighted.

ENERGY STAR[®] Portfolio Manager is a widely-used, free, online software tool designed by the United States Environmental Protection Agency (U.S. EPA) to help building owners and managers track and manage energy and water use in their buildings. The tool requires basic information such as building size, occupancy patterns, and utility information to measure the performance of a building. All buildings can be entered into Portfolio Manager to receive an analysis of their energy and water efficiency, as well as a comparison of performance against a national average for buildings of a similar type. All buildings receive a weather-normalized Energy Use Intensity (EUI), measured in kBTU/sq ft. Some building types can also receive a 1-100 score; however, being eligible for a score is not a requirement for benchmarking in Portfolio Manager or reporting to the District. The score is calculated by comparing their building's EUI to buildings used in similar ways, based on the space use data that is inputted into the tool. The space use data being required was selected by U.S. EPA because it correlates with energy use in a statistically significant manner.

<u>This worksheet covers requirements for 2010 and 2011 only.</u> Buildings over 200,000 gross square feet (gsf) must report data for calendar years 2010 and 2011. Buildings between 150,000 and 20,000 gsf must report data for calendar year 2011 only. For 2010 and 2011, only data required by U.S. EPA is required by DDOE. Only space use attribute fields that listed in Portfolio Manager as required need to be in your 2010 or 2011 District Benchmark Report. Water data is also optional for 2010 and 2011 reporting. Spaces that can be excluded from an ENERGY STAR[®] certification application, such as ground-floor retail, can also be excluded from your 2010 and 2011 reports to DDOE. In short, this means that if you have already successfully benchmarked your building for 2010 or 2011, you can submit to DDOE *as is*.

Beginning with 2012 data, water consumption and additional space use fields are required, and all spaces must be included in the building. Please consult the *2012 District Data Collection Worksheet* for details on the 2012 reporting requirements.

If you are benchmarking your building for the first time, DDOE recommends you input all the space use information required for 2012 for 2010 and 2011 as well, since that will be both easier and more accurate than adding in additional data for only calendar year 2012.

If you have non-residential tenants, you must gather space use and utility data about those tenants. All the data required from the tenants can be found on this worksheet. For your convenience, the District Department of the Environment has also created a *Non-Residential Tenant Information Form* that you can use to request information from the tenants. Even if you are already in possession of the utility information for the tenant spaces, you may still need to assemble space use information. If the building has *only* residential tenants (or members, in the case of a cooperative/condominium), then you do not need to collect information from tenants.

All DDOE forms, along with a comprehensive Frequently Asked Questions (FAQ) document, can be found at <u>http://ddoe.dc.gov/energybenchmarking</u>. You can find technical information on Portfolio Manager at <u>http://www.energystar.gov/benchmark</u>. For technical support, please contact the DC Sustainable Energy Utility's Benchmarking Help Center at 202-525-7036 or <u>benchmarking@dcseu.com</u>. For questions regarding enforcement, you can contact DDOE directly at <u>info.benchmark@dc.gov</u>.

II. Required Data for District ENERGY STAR[®] Benchmarking for 2010

- Portfolio Manager account, with a username and password.
- The building street address, year built, and contact information (Listed in <u>Worksheet Section A</u>).
- The Building ID number assigned by the DC Office of Tax and Revenue. DDOE has published a list of these numbers for buildings over 100,000 sq ft, along with the square footage estimate as recorded by the Office of Tax and Revenue. The number or numbers should be entered as the *Unique Building Identifier (UBI)* in Portfolio Manager. For most properties, this is the property's Square Suffix Lot (SSL) or Parcel number. For condominium buildings, this is the Square Suffix + Regime number. If your property covers multiple parcels or tax lots and is not a condominium, enter all included SSL/parcel numbers in the Unique Building Identifier field in Portfolio Manager. To figure out if multiple buildings need to be combined into a single property for the purposes of benchmarking in Portfolio Manager, see Section III. Enter this information in Worksheet Section A.
- The building gross floor area (in square feet) and key operating characteristics for the building type, or each major space type within a building. Use <u>Worksheet Section B</u> to collect this information before logging in to Portfolio Manager.
- Usage for all fuel types must be reported for each full calendar year. Water data is optional for 2010 and 2011; it will be required by the District beginning with 2012 data. Note that most utility bills do not

begin on the first of the month and go to the last day of the month. If reporting only for 2011, you will need to include up to 14 consecutive months of utility usage for each year so that your data is inclusive of January 1, 2011 to December 31, 2011. If reporting for 2010 and 2011, you will need to include up to 26 consecutive months of utility usage so your data is inclusive of January 1, 2010 to December 31, 2011. If you are missing any part of a year, Portfolio Manager will report N/A for that calendar year, and you will not be able to submit to DDOE. Use <u>Worksheet Section C</u> to enter this information. If you do not have this information readily available, contact your utility provider(s).

• If energy is individually metered for any *non-residential* tenants within your building, then you must request this information from your non-residential tenants to complete benchmarking. If you have five or more tenants, you can get whole-building electricity data directly from Pepco instead of from the tenants. You do not need to collect information from any residential tenants.

III. Collecting Data for Multiple Buildings

If your property has meters shared across multiple buildings, or building systems (such as a central gas furnace) shared across multiple buildings without sub-metering, then the energy use cannot be attributed to any individual building. In such cases, the property must be benchmarked as a single building or campus in Portfolio Manager. Hospitals, K-12 schools, and multifamily housing properties in this situation should be benchmarked as a single property. University campuses and other large campuses comprised of vastly differing uses should be benchmarked using the special campus functionality in Portfolio Manager. Because the campus functionality requires a special, manual submission process in order to report to the District, DDOE recommends that, when in doubt, to group as a single property rather than a campus. If you are entering in water data, which is optional for 2010 and 2011, and have multiple buildings that are separately metered for all energy sources, but share a common water meter, DDOE recommends that you pro-rate the water use across the buildings, according to their respective gross square footage.

IV. Collecting Data for Vacated or Vacating Non-Residential Tenants

If you had tenants whose lease ended, and who vacated the building, prior to the finalization of the benchmarking regulations on **January 18, 2013** you **DO NOT** need to attempt to collect data from them. Instead, please just collect any meter information at the whole building level, and use Portfolio Manager "default values" for the space use attributes. If the vacant spaces were separately metered for all energy utilities, then do not include them in your report. Please see the Frequently Asked Questions document for a more detailed explanation of how to do this in Portfolio Manager.

V. Optional Narrative Information

If you have additional information about your building that you would like to submit to help clarify a poor score or Energy Use Intensity (EUI), you may enter this in the Notes field in Portfolio Manager. Such information may include a description of past or future plans for a building, or legal restrictions such as rent control that may limit your ability to make upgrades. You must make clear that you want some of the text made public, as DDOE will by default not make any notes field data public. *The notes field currently allows a maximum of 1000 characters. To conserve space DDOE recommends that you put the text you want made public first, and use the mark "##" to separate it from the private notes.*

Worksheet Section A. General Building Information

Facility name			
Year built			
Building address:			
Street			Quadrant
City	State	_ ZIP_	
DC Unique Building Identifier (SSL, Parcel, o	or Complex Number)		
Additional SSL or parcel numbers if needed _			

Worksheet Section B. Space Use Attributes for Building Type and Space

Please note the following PRIOR to completing this section:

- For help choosing the appropriate building type, refer to the Portfolio Manager Help at <u>www.energystar.gov/benchmark</u> and click on "Space Type Definitions".
- Some properties may contain multiple space types within a single building (e.g., office, data center, parking, swimming pool, etc.). Select as many major space types as are applicable to your building and fill in their respective information as necessary.
- If your property has multiple tenants with the same space type, these spaces should be entered separately only when the number of weekly operating hours among tenants differs by more than 10 hours. For example, in a 100,000 square foot (SF) office building where 75,000 SF operates 60 hours a week and 25,000 SF operates 80 hours a week, please list as two separate spaces one 75,000 SF space and one 25,000 SF space. As this is most common in office buildings, multiple office space fields are provided below to capture data for multiple tenants if necessary.
- If the values for a space use value changed over the course of 2010, you *need* only record the average value for the year. However, if the value changed by more than 10%, then it may improve your score to record the date of this change and both the old and new values. The form has a notes field at the end of section B where you can note this.
- Portfolio Manager does have default values for all space use characteristics with the exception of gross floor area. However, you should not use those values except in special cases such as a vacated tenant as discussed above in IV.

Bank/Financial Institution:	Data Center:
Required:	<i>Required:</i> Gross floor area (SF)
 Gross floor area (SF) Weekly operating hours # of workers on main shift # of personal computers Percent of floor area that is air conditioned (>=50%, <50%, or none) Percent of floor area that is heated (>=50%, <50%, or none) 	 IT Energy Configuration – Select one from: 1. Uninterruptible Power Supply (UPS) Meter supports only IT Equipment. (Preferred) 2. UPS Meter includes non-IT load of 10% or less. 3. UPS Meter includes non-IT load greater than 10%. Non-IT load is sub-metered. 4. UPS Meter includes non-IT load greater than 10%. Non-IT load is not sub-metered. 5. Facility has no UPS Meter. 6. IT Energy is not current metered at this facility – Apply Estimates. IT Energy Data – 12 months of measured energy consumption data is required from either the UPS or PDU Meter, depending on IT Energy Configuration
	Meter Type (select 1): UPS Output or PDU InputMonth Start DateMonth End DatekWh
Courthouse: Required: Gross floor area (SF) Weekly operating hours # of workers on main shift # of personal computers Percent of floor area that is air conditioned (>=50%, <50%, or none) Percent of floor area that is heated (>=50%, <50%, or none)	Optional:

Hospital (General Medical and Surgical):	House of Worship:
Required:	Required:
Gross floor area	Gross floor area (SF)
# of staffed beds	Maximum seating capacity
# of MRI machines	# of Weekdays of operation
# FTE workers	Hours of operation per week
Optional:	# of personal computers
Maximum # of floors	Presence of cooking facilities - yes or no
Tertiary care facility – yes or no	# of commercial refrigeration/freezer units
Number of Buildings	
Laboratory on-site – yes or no	
Laundry facilities on site – yes or no	
Ownership Status (non-profit, for-profit, government)	

Hotel:	K-12 School:
Required:	Required:
Gross floor area (SF)	Gross floor area (SF)
# of rooms	# of personal computers
# of workers on main shift	# of walk-in refrigeration/freezer units
# of commercial refrigeration/freezer units	High school - yes or no
On-site cooking – yes or no	Open weekends – yes or no
Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.)	On-site cooking – yes or no Percent of floor area that is cooled in 10%
Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.) <i>Optional:</i>	Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.) Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.)
Hours per day the guests are on-site	Optional:
Number of guest meals served	Months of use
Square footage of full-service spas	School District
Square footage of gym/fitness center	
Laundry processed at site (choose one: no laundry facility, linens only (e.g. bed/table linens), terry only (e.g. towels, bathrobes), both linens and terry)	
Annual quantity of laundry processed on-site	
Average Occupancy (%)	
Medical Office: Required:	General Office 1 Required:
Gross floor area (SF)	Gross floor area (SF)
# of workers on main shift	Weekly operating hours
Weekly operating hours	# of workers on main shift
 Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.) Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.) 	<pre># of personal computersPercent of floor area that is air conditioned (>=50%, <50%, or none) Percent of floor area that is heated</pre>
	(>=50%, <50%, or none)

Multifamily Housing:	General Office 2:
[No tenant data collection needed]	Required:
Required:	Gross floor area (SF)
Gross floor area (SF)	Weekly operating hours
Optional:	# of workers on main shift
Total number of units	# of personal computers
Total number of bedrooms	Percent of floor area that is air conditioned (>=50%, <50%, or none)
Maximum number of floors in the tallest building/tower	Percent of floor area that is heated
Percent of square footage devoted to common area	(>=50%, <50%, or none)
Number of laundry hookups in common area	
Number of laundry hookups in each unit	
Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.)	
Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.)	General Office 3: Required:
Government subsidized housing (Yes or No)	Gross floor area (SF)
Meter Configuration (which meters cover tenants	Weekly operating hours
only, common spaces only, or both)	# of workers on main shift
Total number of dishwashers in all units	# of personal computers
Resident population type (No specific type,	Percent of floor area that is air conditioned (>=50%, <50%, or none)
Dedicated Student, Dedicated Military, Dedicated Senior/Independent Living, Dedicated Special	Percent of floor area that is heated
Accessibility Needs, Other Dedicated Housing)	(>=50%, <50%, or none)
Primary hot water fuel type	

Other: Required: Gross floor area (SF) (must be less than 10% of gross building floor area in order for the building to be eligible for a rating) Optional: Weekly operating hours # of personal computers	Parking: Required: Gross floor area that is enclosed (SF) Gross floor area that is unenclosed with a roof (SF) Gross floor area that is open (no roof) (SF) Weekly hours of access
# workers on main shift Retail Store:	Residence Hall/Dormitory :
Required:	Required:
 Gross floor area (SF) Weekly operating hours # of workers on main shift # of personal computers # of cash registers # of walk-in refrigeration/freezer units # of open & closed refrigeration/freezer cases Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.) Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.) Exterior entrance to the public – yes or no 	 Gross floor area (SF) # of rooms Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.) Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.) Optional: Computer lab on-site – yes or no Dining Hall on-site– yes or no

Senior Care Facility	Supermarket/Grocery Stores:
Required:	Required:
Gross floor area (SF)	Gross floor area (SF)
# of units	Weekly operating hours
Average Number of Residents	Workers on main shift
Total Resident Capacity	On-site cooking – yes or no
# of workers on the main shift	# of walk-in refrigeration/freezer units
# of PCs owned by the community (does not include PCs owned by residents)	Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.)
 # of commercial refrigeration/freezer units # of commercial washing machines # of residential washing machines # of residential electronic lift systems Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.) Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.) 	Percent of floor area that is heated in 10% increments (10%, 20%, 30%, etc.) Optional: # of open or closed refrigeration/freezer cases # of registers and/or personal computers
Swimming Pool: Required:	

Warehouse (unrefrigerated and refrigerated):	Wastewater Treatment Plant:
Warehouse (Unrefrigerated):	Required:
Required:	Average influent flow (mgd)
 Gross floor area (SF) Weekly operating hours # of workers on main shift # of walk-in refrigerators/freezer units Percent of floor area that is cooled in 10% increments (10%, 20%, 30%, etc.) Percent of floor area that is heated in 10% 	 Average influent biological oxygen demand (BOD₅) Average effluent biological oxygen demand (BOD₅) Plant design flow rate (mgd) Presence of fixed film trickle filtration process – yes or no
increments (10%, 20%, 30%, etc.)	Presence of nutrient removal process – yes or no
<i>Optional:</i> Distribution Center – yes or no	Water Treatment and Distribution Utility: Required:
Warehouse (Refrigerated):	Average flow (mgd)
Required:	
Gross floor area (SF)	
Weekly operating hours	
# of workers on main shift	

Optional: Record notes about space use attributes, such as a change to an attribute over the course of the year (if the change was more than 10%) here:

Optional: Record contextual information you want to put into Portfolio Manager's notes field for public disclosure here.

Worksheet Section C. Utility Information Collection

Use this section to help with the collection of information for each building and/or space type being benchmarked for calendar year 2010. You need to collect monthly consumption information for all energy sources (usually just electricity and natural gas, but sometimes oil, propane, steam, etc). For 2010, water consumption is optional. Note that most bills do not begin on the first of the month and go to the last day of the month. If reporting only for 2011, you may need to include up to 14 consecutive months of utility usage for each year so that your data is inclusive of January 1, 2011 to December 31, 2011. If reporting for 2010 and 2011, you may need to include up to 26 consecutive months of utility usage so your data is inclusive of January 1, 2010 to December 31, 2011. If you are missing part of the year, Portfolio Manager will report N/A and you will not be able to submit complete data to DDOE. Some utilities include usage for the last 12 months on each bill, so that may help you more easily identify your usage. Utility history is also available online, or by calling customer service.

When collecting this information from your tenants, your tenants have one of three options. Tenants can (a) fill out a grid similar to this one in the Non-Residential Tenant Information Form for the applicable year(s), (b) fill out a utility data authorization release form which you can use to request their data from the utility company or companies directly, or (c) provide you with copies of their utility bills if those bills have usage for each month of 2010 and/or 2011 listed on them.

For electricity data only, if you have five or more tenants, you can get aggregated whole-building data from Pepco directly instead of from your tenants, by providing Pepco with all the meter numbers via their <u>Building Energy Consumption Request Form</u>.

Electricity: Contact Pepco or your electricity supplier <u>http://www.pepco.com/contact/</u> <u>http://www.pepco.com/business/services/consumptionrequestform/</u> 202-872-2040

Natural Gas:

Contact Washington Gas or your supplier http://www.washgas.com/pages/ContactUs (703) 750-1000

Water (Optional for 2010 and 2011):

Contact DC Water http://www.dcwater.com/contact 202-787-2000

Other utilities, like fuel oil or propane: Contact your supplier(s)

Electricity Usage		
Month Start Date	Month End Date	kWh (kilowatt-hours)

DDOE Energy	Benchmarking:	District Data	Collection	Worksheet, 2010	<u>- 2011</u>
--------------------	----------------------	----------------------	------------	-----------------	---------------

Natural Gas		
Month Start Date	Month End Date	therms

Water (optional for 2010 and 2011)		
Month Start Date	Month End Date	kGal (thousand gallons)

Fuel Oil Usage (if applicable)			
Month Start Date	Month End Date	gallons	

Steam Usage (if applicable)			
Month Start Date	Month End Date	MLbs (million pounds)	

Other Energy Sourc	Other Energy Source (if applicable), Units:			
Month Start Date	Month End Date	Units:		